

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2000	("379"/\$.ccls. and (conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:42
L2	7849	"379"/\$.ccls. and ((client user recipient receiver) with (information id profile\$1)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:46
L3	1592	"379"/\$.ccls. and ((client user recipient receiver) with (information id profile\$1)) same (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:46
L4	819	"379"/\$.ccls. and ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:49
L5	0	"379"/\$.ccls. and ((metainformation meta) same(client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:48
L6	1	"379"/\$.ccls. and ((metadata metainformation meta) same(client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:48
L7	27	"379"/\$.ccls. and gateway same ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 12:58

EAST Search History

L8	0	"379"/\$.ccls. and broker same ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 12:58
L9	14	"379"/\$.ccls. and broker and ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 12:59
L10	59	(709/207 709/206)/\$.ccls. and (gateway broker) and ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 13:00
L11	59	(709/207 709/206)/\$.ccls. and (gateway broker) and ((client user recipient receiver) with (information id profile\$1)) with (translat\$4 format\$3 conver\$5 with (content message payload)) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202")) not (L9 L7)	US-PGPUB; USPAT	OR	OFF	2006/12/12 13:27
L14	3	("5740231" "5974447" "6636587").pn.	US-PGPUB; USPAT	OR	OFF	2006/12/12 13:38
L15	484	726/2.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/12 13:33
L16	3	("5740231" "5974447" "6636587").pn. and (convert\$ translat\$ convers\$ format chang\$ replac\$)	US-PGPUB; USPAT	OR	OFF	2006/12/12 14:32
L18	1	(gateway same client same message same broker same meta\$6 same profile\$1).clm.	US-PGPUB; USPAT	OR	OFF	2006/12/12 15:51
S15	5	(709/206 709/207).ccls. and message adj broker and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202"))	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:41
S20	11	gateway\$1 near2 broker and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/11/30 13:33
S21	1	"20020016824"	US-PGPUB; USPAT	OR	OFF	2005/11/30 13:33

EAST Search History

S22	0	message adj broker and (@ad<"12021999" or @rlad<"12021999" or @prad<"12021999")	US-PGPUB; USPAT	OR	OFF	2006/11/21 12:33
S23	1	(email (e adj (mail message) with broker)) and (@ad<"12021999" or @rlad<"12021999" or @prad<"12021999")	US-PGPUB; USPAT	OR	OFF	2006/11/21 12:39
S24	2	("5740230" "6374295").pn.	US-PGPUB; USPAT	OR	OFF	2006/12/12 11:40
S25	79	("5740230")	US-PGPUB; USPAT	OR	OFF	2006/11/21 12:43
S27	63	("5740230") and (conver\$ translat\$)	US-PGPUB; USPAT	OR	OFF	2006/11/21 16:18
S28	0	WO-03081400-\$.DID.	US-PGPUB; USPAT	OR	OFF	2006/11/21 16:21
S29	1	WO-2003081400-\$.DID.	EPO; DERWENT	OR	OFF	2006/11/21 16:21
S30	1088	(709/206 709/207).ccls. and (packet\$1 pocket\$1 payload\$1 content message email e adj mail mail data) with(convert\$5 convers\$5 transform\$5 translat\$5 chang\$5 modif\$5 alter\$5 adapt\$5) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202")	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:32
S31	998	(709/206 709/207).ccls. and (packet\$1 pocket\$1 payload\$1 content message email e adj mail mail data) near5(convert\$5 convers\$5 transform\$5 translat\$5 chang\$5 modif\$5 alter\$5 adapt\$5) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202")	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:21
S32	911	(709/206 709/207).ccls. and (packet\$1 pocket\$1 payload\$1 content message email e adj mail mail data) near3(convert\$5 convers\$5 transform\$5 translat\$5 chang\$5 modif\$5 alter\$5 adapt\$5) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202")	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:23
S33	1	"20010003203" .pn.	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:24

EAST Search History

S36	134	(709/206 709/207).cccls. and (packet\$1 pocket\$1 payload\$1 content message email e adj mail mail data) with(convert\$5 convers\$5 transform\$5 translat\$5 chang\$5 modif\$5 alter\$5 adapt\$5)with (receipient\$1 receiver\$1 destination\$1 client\$1 receiving destination) with (profile information characteristic\$1) and (@ad<"19991202" or @rlad<"19991202" or @prad<"19991202")	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:44
S37	1	"6101320".pn.	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:48
S38	1	"6101320".pn. and convert\$	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:48
S39	1	"6101320".pn. and conver\$	US-PGPUB; USPAT	OR	OFF	2006/11/24 05:55
S40	21	"6014711"	US-PGPUB; USPAT	OR	OFF	2006/11/24 06:41
S42	2	WO-9858491-\$.DID.	EPO; DERWENT	OR	OFF	2006/11/24 06:44
S43	3	("5742905" "5740230" "5608786").pn.	EPO; DERWENT	OR	OFF	2006/11/24 08:01
S47	0	cranberry.in.	EPO; DERWENT	OR	OFF	2006/11/24 08:01
S49	10	cranberry.as.	US-PGPUB; USPAT	OR	OFF	2006/11/24 08:14
S55	1	"6023700".pn. and (connection adj software)	US-PGPUB; USPAT	OR	OFF	2006/11/24 08:46

File 348:EUROPEAN PATENTS 1978-2006/ 200646

(c) 2006 European Patent Office

File 349:PCT FULLTEXT 1979-2006/UB=20061116UT=20061109

(c) 2006 WIPO/Thomson

Set	Items	Description
S1	176315	MESSAGE? ? OR EMAIL OR MAIL OR VOICEMAIL
S2	28939	S1(5N)(CONVERT??? OR CONVERSION OR TRANSFORM??? OR TRANSFORMATION OR TRANSLAT??? OR CHANG??? OR MODIF???? OR MODIFICATION OR ALTER??? OR ALTERATION OR ADJUST??? OR ADJUSTMENT OR ADAPT???)
S3	865334	TARGET? ? OR RECIPIENT? ? OR RECEIVING OR RECEIVER? ? OR DESTINATION? ?
S4	114896	GATEWAY? ? OR MAILSERVER? ? OR SERVER? ?
S5	36321	S4(7N)(SELECT??? OR CHOOS??? OR CHOSEN OR PICK??? OR DECID??? OR DECISION OR SPECIFIE? ? OR SPECIFY??? OR DESIGNAT? OR DETERMIN? OR FIND??? OR IDENTIFY??? OR IDENTIFIES OR IDENTIFIED)
S6	29656	S3(10N)S4
S7	49440	S1(10N)S3
S8	488	S2(50N)S5(50N)S6(50N)S7
S9	34464	BROKER OR PROXY OR INTERMEDIARY OR (INTERMEDIATE OR CONVERSION)(1W)SERVER? ?
S10	9176	S9(10N)S4
S11	59	S2(50N)S5(50N)S6(50N)S7(50N)S10
S12	13	S11 AND AC=US/PR AND AY=(1978:1999)/PR
S13	13	S11 AND AC=US AND AY=1978:1999
S14	13	S11 AND AC=US AND AY=(1978:1999)/PR
S15	4	S11 AND PY=1978:1999
S16	13	S12:S15
S17	13	IDPAT (sorted in duplicate/non-duplicate order)
S18	59807	S9 OR REDIRECT? OR RE()DIRECT???
S19	10843	S18(10N)S4
S20	189	S2(100N)S5(100N)S6(100N)S7(100N)S18
S21	131	S20 NOT S11
S22	49	S21 AND AC=US/PR AND AY=(1978:1999)/PR
S23	49	S21 AND AC=US AND AY=1978:1999
S24	49	S21 AND AC=US AND AY=(1978:1999)/PR
S25	26	S21 AND PY=1978:1999
S26	53	S22:S25
S27	53	IDPAT (sorted in duplicate/non-duplicate order)
S28	5406	AGENT(10N)S4
S29	61	S2(100N)S5(100N)S6(100N)S7(100N)S28
S30	48	S29 NOT S20
S31	15	S30 AND AC=US/PR AND AY=(1978:1999)/PR
S32	15	S30 AND AC=US AND AY=1978:1999
S33	15	S30 AND AC=US AND AY=(1978:1999)/PR
S34	10	S30 AND PY=1978:1999
S35	16	S31:S34

File 347:JAPIO Dec 1976-2006/Jul(updated 061116)

(c) 2006 JPO & JAPIO

File 350:Derwent WPIX 1963-2006/UD=200674

(c) 2006 The Thomson Corporation

Set	Items	Description
S1	206560	MESSAGE? ? OR EMAIL OR MAIL OR VOICEMAIL
S2	15715	S1(5N)(CONVERT??? OR CONVERSION OR TRANSFORM??? OR TRANSFORMATION OR TRANSLAT??? OR CHANG??? OR MODIF???? OR MODIFICATION OR ALTER??? OR ALTERATION OR ADJUST??? OR ADJUSTMENT OR ADAPT???)
S3	1832691	TARGET? ? OR RECIPIENT? ? OR RECEIVING OR RECEIVER? ? OR DESTINATION? ?
S4	232477	GATEWAY? ? OR MAILSERVER? ? OR SERVER? ?
S5	32431	S4(7N)(SELECT??? OR CHOOS??? OR CHOSEN OR PICK??? OR DECID??? OR DECISION OR SPECIFIE? ? OR SPECIFY??? OR DESIGNAT? OR DETERMIN? OR FIND??? OR IDENTIFY??? OR IDENTIFIES OR IDENTIFIED)
S6	47635	S1(10N)S3
S7	285	S2 AND S5 AND S6
S8	73	S7 AND AC=US/PR AND AY=(1963:1999)/PR
S9	90	S7 AND AC=US AND AY=1963:1999
S10	90	S7 AND AC=US AND AY=(1963:1999)/PR
S11	45	S7 AND PY=1963:1999
S12	96	S8:S11
S13	29040	S3(10N)S4
S14	77	S12 AND S13
S15	9997	S1(5N)(CONVERT??? OR CONVERSION OR TRANSFORM??? OR TRANSFORMATION OR TRANSLAT??? OR ADAPT???)
S16	57	S14 AND S15
S17	1	PN=US 20010003203
S18	0	S16 AND S17
S19	0	S12 AND S17
S20	0	S2 AND S17
S21	20	S14 NOT S16